

ZIPTRAK

RESIDENTIAL AND COMMERCIAL







Our guided track outdoor blinds are customised for each and every project to ensure you receive a strong, robust and long lasting blind.







- NO ZIPS, CORDS, ROPES OR WIRES
- ROBUST DESIGN
- CUSTOMISED INSTALLATION
- LEAVE AT ANY HEIGHT
- LOCKS AT BOTTOM
- REDUCE YOUR ENERGY BILLS
- PROVIDE SUN PROTECTION AND SUPERIOR INSULATION
- INSECT CONTROL
- MANUAL OR ELECTRIC OPERATION
- SMOOTH TRACK-GUIDED OPERATION









Making Shade guided track outdoor blinds are customised for each and every project to ensure you receive a strong, robust and long-lasting blind. With colour options to match or compliment your existing space, our outdoor blinds are discreet in installation, offer superior functionality without compromising your style.

ZIPTRAK WIND RECOMMENDATION

Ziptrak blinds are a strong and robust system and are commonly installed in coastal regions and locations prone to high winds. You may find your spring-balanced blind tricky to operate in windy conditions due to the pressure of the wind on the blind material. Use your hand to push against the material to reduce this pressure and then operate the blind. If motorised, supervised raising and lowering of the blind must occur.

In windy conditions, blinds should be left down and locked or fully retracted – halfway is the most vulnerable position. During severe weather events, your blinds should be fully retracted.


ZIPTRAK AUTHORISED FABRICATORS

Making Shade Ltd are authorised fabricators of all Ziptrak Products. We receive premium support and updates from a dedicated team of production experts and engineers to protect the Ziptrak brand for years to come. Consumers can have high expectations for the quality of the product as correct components and recommended installation techniques are followed by our team.

MAINTENANCE

Ziptrak Blinds require very little maintenance. From time to time you may wish to clean the blind with a soft cloth and soapy cold water (such as heavily diluted household detergent). Do not use a high-pressure hose to clean the blind. Approximately once a year in dusty or seafront locations you may wish to add lubricant to assist in the continued smooth operation of the blind. You must use a silicon spray such as food grade CRC 808. Lower the blind and apply the spray in the groove between the spline and the track on the front of the blind only, on both left and right sides.













SHOWROOM: 36f MacDonald Street Mount Maunganui, 3116

0800 460 960 www.makingshade.co.nz

QUOTE #:		DATE:	
NAME:			
SPECIFICATION:			
POWDERCOAT COLOUR:			
FABRIC COLOUR:		UV WARRANTY:	
SYSTEM WARRANTY: 2 years ELECTRICAL WARRANTY		Y: 7 years (Please note: Electrical hardwiring is excluded)	
PLEASE TICK:		HAND HELD REMOTE	
MESH	○ ELECTRIC	ē/ 6	
We have a great selection of colours and fabric options available! Take a look online at www.makingshade.co.nz			
TOTAL (including GST) \$	TERMS: 409	% deposit \$	balance due on completion
INSTALLATION:	weeks from when deposit i	s paid.	

If paying by diret credit, please pay to **01-0455-0148407-00** and reference your quote number. This quote is valid for 30 days from the date above.